ST. COMMUNICATIONS

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2016 - December 31, 2016 Filing Confirmation Number: 0007615119

Filing Deadline: March 23, 2017 FRN: 0001700616

Filing Date: 01/09/2017 11:56 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cross Telephone Company

Brand Names: Cross Wireless

PO Box: 9

Street Address:

City: Warner
State: OK
Zip Code: 74469

Contact Name: Nicholas A. Martin

Contact Phone: (918) 391-7237

Contact Fax:

Contact Email: namartin@crosstel.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Lukas, LaFuria, Gutierrez & Sachs, LLP

PO Box:

Street Address: 8300 Greensboro Drive, Suite 1200

City: Tysons State: VA Zip Code: 22102

Contact Name: Pamela Gist
Contact Phone: (703) 584-8665
Contact Fax: (703) 584-8696
Contact Email: pgist@fcclaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: https://www.crosstel.net/hac/

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Compliant handset models are publicly identified for consumers and audiologists. Compliant models are listed on the company web site, and retail salespeople are trained to assist with complaint digital wireless phones. Compliant handsets are available for testing in retail locations. Written materials and promotional literature are provided at the point of sale and on the website, addressing the needs of individuals with hearing disabilities. Such consumers are given a thirty day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids.

Methodology for Functionality Levels

PDAs or smartphones generally have advanced features such as expandable memory, enhanced camera, Bluetooth,

video, Internet access, touch screen UI, faster processing, email, full QWERTY keypads, and in many cases Windows Office Mobile, to meet the demands of mobile business professionals and consumers.

Mid-Tier Phones may have a camera, Bluetooth, or Internet access capability, but are less likely to offer video, music and media player capability. Design is typically less stylish, tends to be clamshell or flip form factor.

Low-Tier Phones offer basic wireless telephone features, may not have a camera, Bluetooth, or Internet access capability, and generally lack such features MP3 players and expandable memory. Typically utilitarian design suitable for customers using voice/text only, tends to be flip or bar form factor.

Report Remarks

Cross Wireless does not operate voice communications network facilities utilizing GSM, VoLTE, WCDMA, AWS, WiFi or WiMax air interfaces.

You have reported the following handset model summary information.

Total number of handsets offered: 22

Air Interface	Fully Hea Comp Number	atible	Compa	ic Coupling atible Only er Percent	Non-Con Hand Number	sets	Total by Air Interface
CDMA	21	95%	1	5%			22
LTE	14	93%	1	7%			15
Wi-Fi	15	94%	1	6%			16

Handset 1: HTC ONE M9

Handset Maker

HTC

Handset Model Name	FCC ID		
ONE M9	NM80PIA300		

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 2: Kyocera DuraScout ES6782L

Handset Maker

Kyocera

Handset Model Name FCC ID

DuraScout ES6782L V65E6782

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Handset 3: LG AN170 Fluid II

Handset Maker

LG

Handset Model Name FCC ID

AN170 Fluid II ZNFVN170

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-tier

Remarks

Handset 4: LG AN200 SABER

Handset Maker

LG

Handset Model Name FCC ID

AN200 SABER BEJUN200

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 5: LG G4

Handset Maker

LG

Handset Model Name FCC ID

G4 ZNFVS986

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Handset 6: LG Wine II AN430

Handset Maker

LG

Handset Model Name FCC ID

Wine II AN430 BEJUN430

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 7: Motorola Moto E

Handset Maker

Motorola

Handset Model Name FCC ID

Moto E IHDT56QC8

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

850 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M3 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 8: Motorola Moto E (2nd) XT1526

Handset Maker

Motorola

Handset Model Name FCC ID

Moto E (2nd) XT1526 IHDT56QC7

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 9: Motorola Moto Maxx

Handset Maker

Motorola

Handset Model Name FCC ID

Moto Maxx IHDT56PK1

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 10: Motorola Moto X

Handset Maker

Motorola

Handset Model Name FCC ID

Moto X IHDT56PB1

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M3 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 11: Samsung CORE PRIME LTE

Handset Maker

Samsung

Handset Model Name FCC ID

CORE PRIME LTE A3LSMG360V

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Handset 12: Samsung Galaxy S4

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S4 A3LSCHI545

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 13: Samsung Galaxy S4 Mini

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S4 Mini A3LSCHI435

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 14: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S5 A3LSMG900V

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Handset 15: Samsung GALAXY S6

Handset Maker

Samsung

Handset Model Name FCC ID

GALAXY S6 A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 16: Samsung GALAXY S6 EDGE

Handset Maker

Samsung

Handset Model Name FCC ID

GALAXY S6 EDGE A3LSMG925V

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 17: Samsung Galaxy S7

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S7 A3LSMG930US

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Handset 18: Samsung Galaxy S7 Edge

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S7 Edge A3LSMG935US

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 19: Samsung Note 5

Handset Maker

Samsung

Handset Model Name FCC ID

Note 5 A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 850 MHz LTE 1900 MHz CDMA 1900 MHz LTE 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 20: Samsung R261 Chrono

Handset Maker

Samsung

Handset Model Name FCC ID

R261 Chrono A3LSCHR261

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Handset 21: Samsung R270

Handset Maker

Samsung

Handset Model Name FCC ID

R270 A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 22: SONIM XP4400 Enduro

Handset Maker

SONIM

Handset Model Name FCC ID

XP4400 Enduro WYPC21F007AC

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Certification

This Report has been certified by:

Nicholas A Martin Wireless Device Technician 01/09/2017 11:56 AM